

Turnitin

论文原创性检测系统

评估写作的综合解决方案

使用指南-教师版

2019

目录

- [Turnitin 简介](#)
- Turnitin 使用指南
 - [账号注册及登录账号](#)
 - 教师教程（教师账号查重版）
 - [添加课程/班级](#)
 - [布置作业](#)
 - [上传查重文稿](#)
 - [查看查重详情](#)
 - [下载PDF报告](#)
 - [E-rater语法检测](#)
- [常见问题](#)
- [联系我们](#)

Turnitin简介




- Turnitin是全球最权威的论文检测工具，兼具了多种教学管理和写作指导功能，提供给教育工作者强大而有效的工具。
- 帮助使用者有高质量论文产出，保障科研成果和学术诚信。
- 作为全世界教育科技的引领者之一，Turnitin的产品被150多个国家的15,000多所学校、机构使用。
- 权威的论文原创性检测
- 多样化的写作指导功能，提升教学效率
- 整合ETS的e-rater®评分系统，对文稿进行语法测评和纠错，提供英文写作修改建议。TOFEL、GRE等考试也使用e-rater®进行电子评分。
- 界面简洁清晰，易于使用。账户密码登入、不限制IP范围使用。

账号注册



教师账户由管理员设置。
管理员创建教师账号后，系统将向教师电子邮件发送注册邮件。请按提示完成注册。

1



Account Setup

To set up your account, please enter your email address and last name or family name.

Email Address

Last Name or Family Name

You can find this information in your Turnitin welcome email.
If you no longer have access to this email, ask your Turnitin instructor to look up your email address. If you are an instructor, please refer to your Turnitin administrator for this information.

Next

系统发出注册邮件。
请按邮件说明，打
开注册网址。输入
基本信息。

2



Account Setup

To validate your account, we've sent an email to: vicky@igroup.com.cn

You have 24 hours to click the link in your email to continue with your account setup.

验证电子
邮件。

4

第一次登陆，设置
安全问题和同意使
用条款。

3



Create Your Password

To finish setting up your account, please enter a password.

Your password must be between 6 and 12 characters in length, containing at least one letter and one number.

Password

Confirm Password

Create Password Cancel

设置密码

访问地址 www.turnitin.com

或直接进入登录页：

https://www.turnitin.com/login_page.asp?lang=zh_hans

点击Login,
登入个人账户



The screenshot shows the Turnitin Asia Pacific website homepage. At the top, there is a search bar and links for 'Create Account' and 'Login'. Below this is a navigation menu with categories: 'Higher Education', 'Secondary Education', 'Resources', 'Community', 'Support', and a red 'Contact Sales' button. A secondary navigation bar includes 'Turnitin APAC', 'Success Stories - Secondary Education', 'Success Stories - Higher Education', 'Webcasts', and 'Events'. The main banner features a classroom scene with students raising their hands, overlaid with the text 'Turnitin Asia Pacific' and 'Your Partner in Education'.

1. 建立课程
2. 课程下建立作业
3. 作业下提交查重文稿

教师账户登录后，
默认身份为教师

iGroupJack | 用户资讯 | 信息 | 指导教师 ▾ | 简体中文 ▾ | 社区 | ? 帮助 | 登出



所有课程 | 加入帐户 | 加入帐户 (助教) | 快速提交

现在查看：HOME

关于此页
这是您指导教师的主页。欲建立一堂课程，点选添增课程的选项。欲显示课程的作业和文稿，点选课程名称。

China + 添加课程

所有课程 | 过期课程 | 开启课程

班级代码	课程名称	现况	统计	编辑	复制	删除
14739567	Demo	启用的				

点击”添加课程”

现在查看: 主页 > 建立课程

建立新课程

若要创建课程, 请输入课程名称和课程注册密钥。单击“提交”将课程添加到主页。对于主课程, 您还需要输入 TA 加入密钥。

课程设置

* 课程类型

标准

标准

主

课程类型建议选标注课程即可。
(主课程可以添加助教)。

* 课程名称

* 注册密钥

* 学科领域

选择主题

* 学生学年

选择学生学年

输入或选择课程的
相关信息。

课程开始日期 27-8月-2018

* 课程截止日期

2019年02月28日



提交成功后, 将
出现弹出窗口提
示。

取消

提交

布置作业

iGroupJack | 用户资讯 | 信息 | 指导教师 | 简体中文 | 社区 | 帮助 | 登出

turnitin

所有课程 加入帐户 加入帐户 (助教) 快速提交

现在查看: HOME

关于此页
这是您指导教师的主页。欲建立一堂课程, 点选添增课程的选项。欲显示课程的作业和文稿, 点选课程名称。

China + 添加课程

班级代码	课程名称	现况	统计	编辑	复制	删除
14739567	Demo	启用的				
14926119	test + 段落	启用的				

所有课程 过期课程 开启课程

iGroupJack | 用户资讯 | 信息 | 指导教师 | 简体中文 | 社区 | 帮助 | 登出

turnitin

作业 学生 计分簿 资料库 行事历 偏好设定

现在查看: 主页 > TEST (主课程)

关于此页
这是您的主课程主页。欲建立作业, 点选新作业按钮。一旦作业被添加至您的主课程主页, 您可以藉由点选在“选定附属课程”栏内的按钮来添加它们至附属课程。栏内的现况名称提供您被推至附属课程内的作业的总览。

主课程作业 + 新作业

QUICKMARK BREAKDOWN

#	作业	分配到附属课程	开启	到期	发表	编辑	删除
---	----	---------	----	----	----	----	----

点击进入已建立好的课程



点击添加作业

选择您的作业类别

- 文稿作业
- PeerMark 作业
- 修订作业
- 反思作业

文稿作业
文稿作业 - 文稿作业类型是其它作业类型的基本作业 (PeerMark, 修改, 和反思)。
当建立文稿作业时, 指导教师将会需要设定三个日期: : 开始日期, 截止日期, 和发布日期。

下一步

设置作业信息。建议输入作业标题、开始与截止时间, 即可。

新作业

作业标题

点值

可选的

- 限定 Turnitin 可用于相似度检测的文件类型
- 允许任何文档类型

开始日期 日 :

截止日期 日 :

公布日期 日 :

可选的设定

提交

选择作业类别。建议选择文稿作业即可。

注意!! 务必点击打开“可选的设定”

布置作业

重点！！

这里有两个关键选项：

1. 设置文稿是否入库
2. 选择查重对比库

是否将引用的资料从本作业的所有文稿的相似度指数中排除？
 是
 否

排除较小的源文件？
 是
 否

允许学员查看相似度报告？
 是
 否

开启已翻译的相符功能？ (Beta)
Translated Matching 支持哪些语言？
 是
 否

将文稿提交到：
无存储库
标准文稿存储库
无存储库

将文稿提交到：
无存储库

搜寻选项：
 学生文稿存储库
 机构文稿储藏库
 现存和归档网络
 期刊, 杂志, & 出版品

下拉找到“将文稿提交到”。这里只有选择了“无存储库”，才能确保文章不会被上传到Turnitin标准比对库。

每个作业都能设置该作业是否入库。“入库”是指提交的作业存储到标准比对库中，作为下次检测的参考。

如果检测的文章需要发表，建议在作业的选项中选择不入库。

设置查重对比库。建议全选。



作业 学生 计分簿 资料库 行事历 讨论 偏好设定

现在查看: 主页 > THIS IS A TEST

关于此页

这是您的课程主页。点选“添加作业”按钮以添加作业至您的课程主页。点选一个作业的“检视”按钮以检视作业收件匣以及任何被提交的“提交”选项提交物件。

选择要上传文稿的作业，点击“查看”

在作业的“更多动作”选单内的

This is a test					+ 添加作业	
班级主页 QUICKMARK BREAKDOWN						
	开启	到期	发表	现况	操	
Test One						
文稿	2018年08月29日 13:04PM	2018年08月29日 13:30PM	2018年08月29日 13:32PM	1 / 1 已提交	查看	
Service						
文稿	2018年09月14日 10:17AM	2018年09月15日 23:59PM	2018年09月16日 00:00AM	3 / 1 已提交	查看	

- 更多功能
- 编辑设定
- 提交
- 删除作业

您的课程主页将显示所有的作业。

在此修改作业设定。

上传文稿

教师在作业里上传要检测的文章。

选择一个作业，
点击“查看”

Questions						
文稿	2019年01月09日 09:48AM	2019年06月30日 23:59PM	2019年01月15日 00:00AM	3 / 0 已提交	查看	更多功能 ▼

点击“提交文档”

Demo

收件匣 | 现在查看: 新的文稿 ▼

提交文档

[在线评分报告](#) | [编辑作业设置](#) | [寄电子邮件给未提交者](#)

<input type="checkbox"/>	作者	标题	相似处	成绩	回覆	文件	文稿代码	日期
<input type="checkbox"/>	匿名	Demo1	2% ■		•		774307813	2017年02月22日
<input type="checkbox"/>	匿名	 Demo	5% ■	0	•		774307821	2017年02月22日

提交: 单独档案上传 ▾ 步骤 ●○○

作者: 多数档案上传
剪贴上传
未注册 压缩档案上传

名:

姓:

提交物件标题:

您提交的档案将不会被添加到任何储存库。

我能提交什么?

选择您想要上传至 Turnitin 的文档:

从此电脑选择

从 Dropbox 选择

从 Google Drive 内选择

我们非常重视你的隐私。我们不会为了营销目的与任何外部公司分享您的信息。您的信息只与我们的第三方合作伙伴共享, 以便我们提供服务。

上传 取消

在下拉列表中选择文稿上传方式。在此以“单独档案上传为例”。

确认这里显示“文章不会被添加到存储库”。否则, 需要返回修改作业设置。

选择要上传的文章

点击上传文章

请确认这是您想要提交的档案...

作者:
21

作业标题:
Demo

提交物件标题:
3

文档名称:
CrossCheck Update for European ISMTE Meeting.pdf


文档大小:
6.73M

页面总数:
85

文字总数:
2665

字符总数:
15330

« 17 页 »



上传后预览

我们非常重视你的隐私。我们不会为了营销目的与任何外部公司分享您的信息。您的信息只与我们的第三方合作伙伴提供我们提供服务。

确认

取消

确认上传的文稿无误，
点击确认提交查重。

作业 学生 计分簿 资料库 行事历 讨论

现在查看: 主页 > DEMO > DEMO

关于此页

这是您的作业收件箱。若要查看论文, 请选择论文标题。若要查看相似度报告,

图标表明相似度报告尚未生成。

Demo

收件匣 | 现在查看: 新的文稿 ▾

回到作业页面, 当“相似度”出现百分比数字, 表示已经检测完毕。点击“相似度”下的百分比, 打开新窗口查看查重结果详情。

提交文档

在线评分报告 | 编辑作业设置 | 寄电子邮件给未提交者

<input type="checkbox"/>	作者	标题	相似处	成绩	回覆	文件	文稿代码	日期
<input type="checkbox"/>	匿名	Demo1	2%		•		774307813	2017年02月22日
<input type="checkbox"/>	匿名	IEEESMC-JYGv01.pdf	40%		•		992680231	2018年08月24日
<input type="checkbox"/>	匿名	IS-JLGv01.pdf	41%		•		992680229	2018年08月24日
<input type="checkbox"/>	匿名	Demo	52%	0	•		774307821	2017年02月22日
<input type="checkbox"/>	ZhangJack	test	97%	0	•		846821832	2017年09月14日

查重结果详情 (feedback studio视图)



文稿总相似度

匹配项总览

52%

匹配项 1 (共 1 个)

当前正查看标准来源

查看英文来源 (测试版)

匹配项	来源	相似度
1	mdanderson.influe... 互联网来源	25%
2	sfft.org 互联网来源	10%
3	www.slideshare.net 互联网来源	9%
4	theological.asia 互联网来源	2%
5	www.xzglass.co 互联网来源	1%
6	"Novel Multi-Domai... 出版物	1%

文内的相似文字高亮显示，编号和颜色与右侧的重复源颜色一致。

functionality of their product offering, therefore they are more competitively. The institutions are needed to help manage an **Improper Citation** marketplace. They will also promote the establishment of multinational treaties to govern the global business system.

Nowadays, the institutions include **Lowercase**

The General Agreement on Tariffs and Trade (GATT),

The World Trade Organization (WTO),

The International Monetary Fund (IMF),

The World Bank,

The United Nations (UN),

They are to promote and to maintain the free flow of international trade and to do so by doing business together, they have to follow the same rules. However, the rules are different in many countries. When the International Standardization Organization (ISO) is established, countries are required to follow the same standards. The goods is produced in the same way as the goods produced in the other countries.

Bold

期刊/杂志 (Publication)

Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) is a critical immunoregulatory molecule (expressed on activated T cells and a subset of regulatory T cells) capable of down-regulating T cell activation. Blockade of CTLA-4 has been shown in animal models to improve the effectiveness of cancer immunotherapy. We thus treated 14 patients with metastatic melanoma by using serial i.v. administration of a fully human anti-CTLA-4 antibody (MDX-010) **Citation Needed** with s.c. vaccination with two modified HLA-A*0201-restricted peptides from the gp100 melanoma-associated antigen gp100:209-217(210M) and gp100:280-288(288V). This blockade of CTLA-4 in **Improper Citation** III/IV autoimmune manifestations in six patients (43%), including dermatitis, enterocolitis, hepatitis, and hypophysitis, and mediated objective cancer regression in three patients (21%; two complete and one partial responses). This study establishes CTLA-4 as an important molecule regulating tolerance to "self" antigens in humans and suggests a role for CTLA-4 blockade in breaking tolerance to human cancer antigens for cancer immunotherapy.

按相似度高低编号列出所有重复源，并以不同颜色区分。



查重结果详情



点击文中高亮显示的重复文字，将打开弹窗，显示重复源内对应的文字，以及一段上下文。
点击链接，可打开重复源网址。

feedback studio

Demo

0 / 0

< 2 (共3个) > ?

mdanderson.influent.utsystem.edu
互联网来源

Kathleen E. Morton ; Sharon A. Mavroukakis ; Paul H. Duray ; Seth M. Steinberg ; James P. Allison ; Thomas A. Davis ; Steven A. Rosenberg Melanoma Medical Oncology Immunology 1007 Citations Abstract **Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) is a critical immunoregulatory molecule**

Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) is a critical immunoregulatory molecule (expressed on activated T cells and a subset of regulatory T cells) capable of down-regulating T cell activation. Blockade of CTLA-4 has been shown in animal models to improve the effectiveness of cancer immunotherapy. We thus treated 14 patients with metastatic melanoma by using serial i.v. administration of a fully human anti-CTLA-4 antibody (MDX-010) with s.c. vaccination with two modified HLA-A*0201-restricted peptides from the gp100 melanoma-associated antigen gp100:209-217(210M) and gp100:280-288(288V). This blockade of CTLA-4 in HIV autoimmunity manifestations in six patients (43%), including dermatitis, enterocolitis, hepatitis, and hypophysitis, and mediated objective cancer regression in three patients (21%; two complete and one partial responses). This study establishes CTLA-4 as an important molecule regulating tolerance to "self" antigens in humans and suggests a role for CTLA-4 blockade in breaking tolerance to human cancer antigens for cancer immunotherapy.

Citation Needed

Improper Citation

3. 中译英 (English article translation)

市场研究是经常需要研究我们生产的产品。这是我们所认为的他们想要的。主要和次要的研究方法，有两种主要的方法来营销。二次研究涉及使用信息，其他人已经放在一起。例如，如果您正在考虑创建一个业务使衣服适合个子高的人，您不需要问的人

Citation Needed

匹配项总览

52%

匹配项 1 (共 1 个)

当前正查看标准来源

查看英文来源 (测试版)

匹配项	来源	百分比
1	mdanderson.influe... 互联网来源	25%
2	sftt.org 互联网来源	10%
3	www.slideshare.net 互联网来源	9%
4	theological.asia 互联网来源	2%

查重条件设置

点击漏斗型按钮，设置查重条件，包括：

- *排除引用资料。“引用资料”特指文中用双引号括出的引用文字，如法律条文等。
- *排除参考文献。勾选这项表示文中Reference部分不查。
- *排除小重复源。比如：可以设置重复率低于1%的重复源不计入。

The image shows the 'Filter and Settings' (过滤和设置) dialog box in Turnitin. It features a sidebar with icons for document management, a list of filters, a score of 95, and a funnel icon. The main panel is titled '过滤和设置' and contains the following options:

- 过滤 (Filter):**
 - 排除引用资料 (Exclude quoted text)
 - 排除参考书目 (Exclude references)
 - 排除小于下列数值的来源: (Exclude sources below the following value):
 - 文字 (Text)
 - %
 - 不按大小排除 (Exclude regardless of size)
- 可选设置 (Optional Settings):**
 - 多种颜色突出显示 (Highlight in multiple colors)

At the bottom, there are two buttons: '应用更改' (Apply Changes) and '新建报告' (New Report).

排除/恢复特定重复源



点击该按钮，
列出全部重复
源。

在此可排除一
个或多个重复
源。排除后，
重新计算相似
度。

所有来源	
匹配项 1 (共 4 个)	
<input type="checkbox"/>	"Parallel Architecture, A... 出版物 93%
<input checked="" type="checkbox"/>	Wenchao Xu, Yanbo Liu... 出版物 93%
<input checked="" type="checkbox"/>	Wenchao Xu, Yanbo Liu... 出版物 62%
<input type="checkbox"/>	tel.archives-ouvertes.fr 互联网来源 - 5 url 9%
<input type="checkbox"/>	提交至 University of Ul... 学生论文 - 2 论文 8%
<input type="checkbox"/>	unit.le.imm.cnr.it 互联网来源 - 2 url 8%
<input type="checkbox"/>	Bingwei Zhou, Qianli M... 出版物 7%
<input type="checkbox"/>	www.imm.cnr.it 互联网来源 7%

排除 (2) 取消

重新计算原创性分数

排除来源	
<input checked="" type="checkbox"/>	Wenchao Xu, Yanbo Liu, Yanqin Ya... 出版物
<input type="checkbox"/>	Wenchao Xu, Yanbo Liu, Yanqin Ya... 出版物
<input type="checkbox"/>	https://container.imm.cnr.it/node/... 互联网来源
<input checked="" type="checkbox"/>	https://www.imm.cnr.it/node/31948 互联网来源
<input type="checkbox"/>	Bingwei Zhou, Qianli Ma, Yintao So... 出版物

还原 (3) 全部还原

点击该按钮，可以看
到全部已被排除的重
复源，并可选择恢复。


下载PDF原创性检测报告



functionality of their product offering, therefore they are more competitively. The institutions are needed to help manage an **Improper Citation** marketplace. They will also promote the establishment of multinational treaties to govern the global business. **Lowercase**

Nowadays, the institutions include
The General Agreement on Tariffs and Trade (GATT)
The World Trade Organization (WTO)
The International Monetary Fund (IMF)
The World Bank
The United Nations (UN)


They are to promote and to maintain doing business together, they have different in many countries. World International Standardization Organization

下载原创性报告：
1. 请先点击相似度分数。
2. 再点击下方  按钮，选择当前视图，下载。

期刊/杂志 (Publication)

Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) is a critical immunoregulatory molecule (expressed on activated T cells and a subset of regulatory T cells) capable of down-regulating T cell activation. Blockade of CTLA-4 has been shown in animal models to improve the effectiveness of cancer immunotherapy. We thus treated 14 patients with metastatic melanoma by using serial i.v. administration of a fully human anti-CTLA-4 antibody (MDX-010) **Citation Needed** with s.c. vaccination with two modified HLA-A*0201-restricted peptides from the gp100 melanoma-associated antigen gp100:209-217(210M) and gp100:280-288(288V). This blockade of CTLA-4 **Improper Citation** III/IV autoimmune manifestations in six patients (13%), including dermal hepatitis, and hypophysitis, and mediated objective cancer regression in the two complete and one partial responses). This study establishes CTLA-4 molecule regulating tolerance to "self" antigens in humans and suggests a blockade in breaking tolerance to human cancer antigens for cancer immunotherapy.

下载

-  当前视图
-  数字回执
-  原始提交文件

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

匹配项总览

52%

匹配项 1 (共 1 个)

当前正查看标准来源

[查看英文来源 \(测试版\)](#)

匹配项	来源	相似度
1	mdanderson.influe... 互联网来源	25%
2	sftt.org 互联网来源	10%
3	www.slideshare.net 互联网来源	9%
4	theological.asia 互联网来源	2%
5	www.xzglass.co 互联网来源	1%
6	"Novel Multi-Domai... 出版物	1%

纯文本视图



点击feedback studio底部的“Text-only Report”，打开纯文本视图



turnitin logo | Processed on: 11-May-2018 09:23 +08 | Originality Report | Submitted: 1

Similarity Index	Similarity by Source
38%	Internet Sources: 31%
	Publications: 14%
	Student Papers: 21%

Document Viewer

include quoted | include bibliography | excluding matches < 7 words | mode: show highest matches together

Match	Source	Percentage
1	3% match (Internet from 30-Jul-2017) https://www.scribd.com/document/9-Report-on-Disability	3%
2	2% match (Internet from 12-Sep-2017) https://d.lib.msu.edu/etd/174/datast	2%
3	2% match (Internet from 19-Jun-2014) http://whqlibdoc.who.int	2%

Text in document viewer:
博士学位论文 12条目WHODAS 2.0量表评价
估大骨节病患者残疾
的可靠性和有效性
研究

在纯文本视图下，会去除掉文稿中的图片、影像等内容，仅留下文本。以便进行比对及文稿修改。

Turnitin整合了ETS的e-rater评分系统（紫色部分）。可以对文稿进行语法测评和纠错。

点击紫色标注部分，显示修改建议弹窗。教师在此添加评语。

您可能不需要在此使用冠词。

添加评语

解除

点击加载e-rate测评结果。对于文章的逻辑、语法、架构、词汇、拼写等进行批改。只对64,000字长度以内的文稿进行纠错。

e-rater® 结果	
混合的单字	0
遗漏最后的标点符号	0
大写专有名词	0
连字号上的错误	0
<input checked="" type="checkbox"/> 风格	0
被动态	0
太多使用对等连接词开头的句子	0
不恰当的字或词	0
太多短句子	0
太多长句子	0
<input checked="" type="checkbox"/> 使用情况	7
错误的比较	0
非标准的单字形态	0
介系词上的错误	0
单字的错误形态	0
遗漏或额外的冠词	5
否定句上的错误	0
错误的冠词	1
混淆的字	1

Q. 以正确的文稿格式上传，却无法成功上传？

A. 可能是您的文稿内部有存在转档错误问题(如错误的pdf档案)，请使用其他转档工具进行格式转换。

Q. 文稿不小心传到了存储库，能否删除？

A. 仅本机构的Turnitin管理员可以向Turnitin公司申请删除误传的文稿。请联系您所在机构的Turnitin管理员，并提供文稿的Paper ID信息。

您有任何疑问，欢迎随时联系：



turnitin@igroup.com.cn
021-64453167/64454595
www.igroup.com.cn

iGroup中国—长煦信息技术咨询（上海）有限公司

上海—北京—广州—西安—重庆

iGroup是亚太区最大的学术信息服务商之一，是Turnitin/iThenticate唯一授权代理。iGroup还代表AAAS(Science)，ACS，IEEE，APS，ACM等国际知名学协会为国内客户提供本地支持和专业服务。